Form -IV (See Rule 13) BMW Monthly Report, Nov'2022

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

SI.	Particulars		
1.	Particulars of the Occupier	:	WOODLANDS MULTISPECIALITY HOSPITAL
	(i) Name of the authorized person		
	(occupier or operator of facility)		Dr. RUPALI BASU (Managing Director & Chief Executive Officer)
	(ii) Name of HCF or CBMWTF	:	WOODLANDS MULTISPECIALITY HOSPITAL
	(iii) Address for Correspondence	:	8/5, Alipore Road, Kolkata- 700027
	(iv) Address of Facility		DO
	(v)Tel. No, Fax. No	:	(033) 4033 7000
	(vi) E-mail ID	:	infectioncontrol@woodlandshospital.in
	(vii) URL of Website		www.woodlandshospital.in
	(viii) GPS coordinates of HCF or CBMWTF		Submitted
	(ix) Ownership of HCF or CBMWTF	i	(State Government or Private or Semi Govt. or any other) Private
	(x). Status of Authorization under	:	Authorization No.:
	the Bio-Medical Waste (Management and Handling) Rules		35/2S(BM)-653/2000-2001 valid up to 30.04.2024
	(xi). Status of Consents under Water Act and Air Act	;	Valid up to: 30.04.2024
:	Type of Health Care Facility	:	Hospital
	(i) Bedded Hospital	:	No. of Beds: 258
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	NA
	(iii) License number and its date of expiry		<u>34219151</u>
	Details of CBMWTF	•	Expiry Date:- 30.04.2024
	(i) Number healthcare	:	NA NA
-	facilities covered by (ii) No of beds covered by		
1	CDMUTT	•	NA
C	(iii) Installed treatment and disposal capacity of CBMWTF:	:	Kg per day NA
	(iv) Quantity of biomedical waste reated or disposed by CBMWTF	·	Kg/day NA

14	. Quantity of waste generated or	1:	Yellow Category : 1387.19 KG/ Month				
	disposed in Kg per annum (on monthly average basis)						
			Red Category: 1353.72 KG/ Month White: 65.88 KG/ Month				
9			US.00 KG/ Wolth				
			Blue Category: 322.32 KG/Month				
5	Details of the Storage, treatment, tra	nspor	rtation, processing and Disposal Facility				
	(i) Details of the						
	storage facility	:	Size : 115 SQFT				
			Capacity: N/A				
			Provision of on-site storage : (cold storage or any other provision)				
	disposal facilities		Type of treatment No Cap Quantity equipment of				
			acit treatedo				
	·		unit y r				
			s Kg/ disposed day in kg per annum				
	/		Incinerators Plasma Pyrolysis				
			Autoclaves Microwave Hydroclave				
			Shredder				
			Needle tip cutter or				
			destroyer				
		v	Sharps				
	•		encapsulation or - concrete pit Deep burial pits:				
			Chemical				
			disinfection:				
	(iii) Quantity of recyclable wastes	:	Red Category (like plastic, glass etc.)				
4	sold to authorized recyclers after		TVA				
	treatment in kg per annum.						
	(iv) No of vehicles used for	:	NA				
	collection and transportation of						
	(v) Details of incineration ash and		Quantity Where generated disposed NA				
	ETP sludge generated and disposed during the treatment of wastes in Kg		Incineration Ash				
	per annum		ETP Sludge				
	(vi) Name of the Common Bio-						
	Medical Waste Treatment Facility		NA				
	Operator through which wastes are						
	(vii) List of member HCF not						
	handed over bio-medical waste.		NA				
6	Do you have bio-medical waste						
	management committee? If yes,		YES				
	attach minutes of the meetings held						
	during the reporting period						
7	Details trainings conducted on BMW						

	(i) Number of trainings conducted on BMW Management.	N/A
	(ii) number of personnel trained	N/A
	(iii) number of personnel trained at the time of induction	NA
	(iv) number of personnel not undergone any training so	NIL
	(v) Whether standard manual for training is available?	YES
3	(vi) any other information) Details of the accident	NIL
	occurred during the year	NIL
	(i) Number of Accidents occurred (ii) Number of the persons affected	NIL
	(iii) Remedial Action taken (Please	NIL
	attach details if any)	NIL
	(iv) Any Fatality occurred, details. Are you meeting the standards of air	NIL
	many times in last year could not	NA
	emission monitoring systems	NA
	Liquid waste generated and treatment methods in place. How	STP
	many times you have not met the standards in a year?	For Annual Maintenance we are taking seven days shut down to upkeep STP
	Is the disinfection method or sterilization meeting the log 4	NA
	standards? How many times you have not met the standards in a year?	
	Any other relevant information :	(Air Pollution Control Devices attached with the Incinerator)
		NA NA

Certified that the above report is for the period: -

01.10.2022 TO 30.10.2022

Name and Signature

Date: - 11/08/2022 Place: - KOLKATA