

Form -IV
(See Rule 13)
June'2020

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]


Sl. No.	Particulars		
1.	Particulars of the Occupier	:	WOODLANDS MULTISPECIALITY HOSPITAL
	(i) Name of the authorized person (occupier or operator of facility)	:	Dr. MALATI PURKAIT
	(ii) Name of HCF or CBMWTF	:	WOODLANDS MULTISPECIALITY HOSPITAL
	(iii) Address for Correspondence	:	8/5, Alipore Road, Kolkata- 700027
	(iv) Address of Facility	:	DO
	(v) Tel. No, Fax. No	:	(033) 4033 7000
	(vi) E-mail ID	:	infectioncontrol@woodlandshospital.in
	(vii) URL of Website	:	www.woodlandshospital.in
	(viii) GPS coordinates of HCF or CBMWTF	:	Submitted
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other)----- Private
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	:	Authorization No.: <u>35/2S(BM)-653/2000-2001 valid up to 30.04.2024</u>
	(xi). Status of Consents under Water Act and Air Act	:	Valid up to: 30.04.2024
2.	Type of Health Care Facility	:	Hospital
	(i) Bedded Hospital	:	No. of Beds:..... 258
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	NA
	(iii) License number and its date of expiry	:	34219151 Expiry Date:- 14.06.2022
3.	Details of CBMWTF	:	NA
	(i) Number healthcare facilities covered by	:	NA
	(ii) No of beds covered by CBMWTF	:	NA
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	_____ Kg per day NA
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	_____ Kg/day NA

Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category :	2617.51 KG/ Month
		Red Category :	2829.64 KG/ Month
		White:	73.55 KG/ Month
		Blue Category :	289.69 KG/Month
5	Details of the Storage, treatment, transportation, processing and Disposal Facility		
(i) Details of the on-site storage facility	:	Size :	115 SQFT
		Capacity :	N/A
		Provision of on-site storage :	(cold storage or any other provision)
disposal facilities		Type of treatment	No. of units
		Incinerators Plasma Pyrolysis	Capacity treated
		Autoclaves Microwave Hydroclave	Quantity disposed per annum
		Shredder	equipment of
		Needle tip cutter or destroyer	in kg
		Sharps encapsulation or	per annum
		Deep burial pits:	- concrete pit
		Chemical disinfection:	-
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.)	NA
(iv) No of vehicles used for collection and transportation of	:		NA
(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	:	Quantity Where generated disposed	NA
		Incineration Ash	
		ETP Sludge	
(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:		NA
(vii) List of member HCF not handed over bio-medical waste.	:		NA
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		YES
7	Details trainings conducted on BMW		

	(i) Number of trainings conducted on BMW Management.		NA
	(ii) number of personnel trained		NA
	(iii) number of personnel trained at the time of induction		NA
	(iv) number of personnel not undergone any training so		NIL
	(v) whether standard manual for training is available?		YES
	(vi) any other information)		NIL
8	Details of the accident occurred during the year		NIL
	(i) Number of Accidents occurred		NIL
	(ii) Number of the persons affected		NIL
	(iii) Remedial Action taken (Please attach details if any)		NIL
	(iv) Any Fatality occurred, details.		NIL
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not		NA
	Details of Continuous online emission monitoring systems		NA
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		STP <u>For Annual Maintenance we are taking seven days shut down to upkeep STP</u>
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		NA
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator) NA

Certified that the above report is for the period: -

June'2020


 Name and Signature of the Head of the Institution
 Deputy Medical Superintendent
 Regn No: 60616 WBMC
 Woodlands Multispeciality Hospital Ltd.

Date:-

Place:- KOLKATA