

15 February' 2025

**O&E (CORE)**  
Chief Engineer (Waste Management Cell)

West Bengal Pollution Control Board

Paribesh Bhawan

Building No. 10A, Sector 3, Block LA

Salt Lake City

Kolkata - 700098.



**Sub:- Yearly report on Bio Medical Waste for the year of 2024**


Dear Sir,

This has reference to your Memo No. 562(35)/IS-74/2001(Pt-V) dated 18<sup>th</sup> October 2011. As required, we are enclosing the yearly report on Bio Medical Waste for the year of 2024 (January to December) for your ready reference.

Please acknowledge receipt.


Thanking You,


Yours Faithfully,

  
Mr. Rupak Barua

Managing Director & CEO

Encl: yearly Bio-Medical Waste Report 2024 (January to December)






Form - IV (Sec rule 13)

BMW ANNUAL REPORT'2024

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF)]


Sl. No	Particulars	
1.	Particulars of the Occupier	: WOODLANDS MULTISPECIALITY HOSPITAL LIMITED
	(i) Name of the authorised person(occupier or operator of facility)	: Mr. Rupak Barua ( Managing Director & Chief Executive Officer)
	(ii) Name of Health Care Facility	WOODLANDS MULTISPECIALITY HOSPITAL LIMITED
	(iii) Address for Correspondence	8/5 Alipore Road, Kolkata - 700027
	(iv) Address of Facility	8/5 Alipore Road, Kolkata - 700027
	(v) Tel. No, Fax. No	(033) 4033 7000
	(vi) E-mail ID	Subrata.das@woodlandshospital.in
	(vii) URL of Website	www.woodlandshospital.in
	(viii) GPS coordinates of HealthCare Facility	22.5323° N, 88.3292° E
	(ix) Ownership of Health Care Facility	(State Government or Private or Semi Govt. or any other) - Private
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	Ref:- WBPCB/2503755/2022 valid up to 30.04.2029
	(xi). Status of Consents under Water Act and Air Act.	Valid up to: 30.04.2029
2	Type of Health Care Facility	: Hospital
	(i) Bedded Hospital	: No. of Beds: 200
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other	: N/A

8/12/25  
12/02/25





		Sharps Encapsulation or concrete pit	N/A	N/A	N/A
		Deep burial pits	N/A	N/A	N/A
		Chemical disinfection	N/A	N/A	N/A
		Any other treatment equipment	N/A	N/A	N/A
	(iii) Quantity of recyclable wastes sold to authorised recyclers after treatment in kg per annum.	Red Category (like plastic, glass etc.) N/A			
	(iv) No of vehicles used for collection and transportation of biomedical waste	N/A			
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	Incineration & Ash ETP Sludge	Quantity Generated	where Disposed	
		N/A	N/A	N/A	
	(vi) Name of common Bio-Medical Waste Treatment Facility Operator through which waste are disposed of	Medicare Environmental Management Pvt. Ltd			
5	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	Yes			
6	Details trainings conducted on BMW				
	(i) Number of trainings conducted on BMW Management.	179			
	(ii) number of personnel trained	1537			
	(iii) number of personnel trained at the time of induction	43			
	(iv) number of personnel not undergone any training so far	Nil			
	(v) whether standard manual for training is available?	Yes			



	(vi) any other information)		Nil
7	Details of the accident occurred during the year		Nil
	(i) Number of Accidents occurred		Nil
	(ii) Number of the persons affected		Nil
	(iii) Remedial Action taken (Please attach details if any)		Nil
	(iv) Any Fatality occurred, Details.		Nil
8	Are you meeting the standards of air Pollution from the incinerator? How Many times in last year could not meet the standards?		N/A
	Details of Continuous online emission monitoring systems installed		N/A
9	Liquid waste generated and treatment methods in place. How many times you have not met the Standards in a year?		STP For Annual Maintenance we are taking seven days shut down to upkeep STP
10	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		N/A
11	Any other relevant information	(Air Pollution Control Devices attached with the Incinerator)	N/A


Certified that the above report is for the period of **January'2024 to December'2024**

*[Handwritten Signature]*

Name and Signature of the Head of the Institution

Date:

Place:



28/12  
13/12/25

Woodland Multispecialty Hospital Pvt. Ltd

Period: 01-2024 : 12-2024		Establishment Type- Health Care Establishment				Mobile- false							
Sl No.	Month	Yellow Bags		Red Bags		Blue Mark Box		Whites		Cytotoxic Bags		Total	
		Count	Weight	Count	Weight	Count	Weight	Count	Weight	Count	Weight	Count	Weight
1	January 2024	1143	2695.80	1320	4876.88	74	567.55	49	71.15	0	0	2586	8211.38
2	February 2024	1290	2219.54	1363	3115.00	74	551.98	88	141.01	0	0	2815	6027.53
3	March 2024	1091	2052.70	1536	3787.16	66	493.62	39	50.86	0	0	2732	6384.33
4	April 2024	1508	2628.51	1498	3479.24	77	533.84	47	61.37	0	0	3130	6702.96
5	May 2024	1374	2388.18	1665	3626.75	74	525.90	46	48.73	0	0	3159	6589.57
6	June 2024	1482	2615.73	1628	3752.21	69	483.70	37	46.36	0	0	3216	6897.99
7	July 2024	1564	2613.06	1684	3910.01	69	494.12	37	38.79	0	0	3354	7055.97
8	August 2024	1542	2541.87	1531	3451.23	78	511.79	38	44.28	0	0	3189	6549.17
9	September 2024	1525	2316.84	1491	3241.83	78	534.48	41	42.07	0	0	3135	6135.22
10	October 2024	1410	1775.40	1311	2360.05	61	431.56	34	32.56	0	0	2816	4599.56
11	November 2024	1285	2004.51	1261	2687.11	71	496.85	46	47.22	0	0	2663	5235.68
12	December 2024	914	2013.33	898	2938.19	68	494.54	37	41.76	0	0	1917	5487.81
<b>Total</b>		<b>16128</b>	<b>27865.47</b>	<b>17186</b>	<b>41225.66</b>	<b>859</b>	<b>6119.92</b>	<b>539</b>	<b>666.15</b>	<b>0</b>	<b>0</b>	<b>34712</b>	<b>75877.19</b>
	Avg kg/Month		2322.1225		3435.4717		509.9933		55.5125				

*Handwritten signature and date: 12/12/24*