Form -IV (See Rule 13) APRIL-2019

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl.	Particulars		
No.			
1.	Particulars of the Occupier	:	WOODLANDS MULTISPECIALITY HOSPITAL
	(i) Name of the authorized person	:	Dr. MALATI PURKAIT
	(occupier or operator of facility)		
	(ii) Name of HCF or CBMWTF	:	WOODLANDS MULTISPECIALITY HOSPITAL
	(iii) Address for Correspondence	:	8/5, Alipore Road, Kolkata- 700027
	(iv) Address of Facility		DO DO
	(v)Tel. No, Fax. No	:	(033) 4033 7000
	(vi) E-mail ID	:	infectioncontrol@woodlandshospital.in
	(vii) URL of Website		www.woodlandshospital.in
	(viii) GPS coordinates of HCF or CBMWTF		Submitted
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other) Private
Ì	(x). Status of Authorization under	:	Authorization No.:
	the Bio-Medical Waste		10/2S(BM)-6453/2000-2001 valid up to 30.04.2019
	(Management and Handling) Rules		Applied For Renewal
	(xi). Status of Consents under Water	:	Valid up to: 30.04.2019
	Act and Air Act		Applied For Renewal
2.	Type of Health Care Facility	:	Hospital
	(i) Bedded Hospital	:	No. of Beds: 268
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	NA
	(iii) License number and its date of		L/68(95)/R/16/0194
	expiry		Expiry Date:- 14.06.2019
3.	Details of CBMWTF	:	NA
	(i) Number healthcare facilities covered by	:	NA
	(ii) No of beds covered by	:	NA
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	Kg per day
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	Kg/day

A 4			V 11 O 4	001 C VC/M	
4.	Quantity of waste generated or	:	Yellow Category :	891.6 KG/ Month	
4	disposed in Kg per annum (on		Red Category:	1195.2 KG/ Month	
	monthly average basis)		White:	88.2 KG/ Month	
			Blue Category:	336.4 KG/Month	
			General Solid waste:	1196.5 KG/Month	
5	Details of the Storage, treatment, trans	porta	tion, processing and Dis	sposal Facility NA	
	(i) Details of the on-site	:	Size :		
	storage facility		Capacity:		
			Provision of on-site	storage : (cold storage or any other provision	on)
	disposal facilities		Type of treatment	No Cap Quantity equipment of acit treatedo unit y r s Kg/ disposed day in kg per annum	
			Incinerators Plasma Autoclaves Micrown Shredder Needle tip cutter or destroyer	a Pyrolysis vave Hydroclave	
			Sharps encapsulation or	- concrete pit	
			Deep burial pits: Chemical	-	
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like pla	astic, glass etc.) NA	
	(iv) No of vehicles used for collection and transportation of	:		NA	
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		Quantity Where gener Incineration Ash ETP Sludge	rated disposed NA	
	(vi) Name of the Common Bio- Medical Waste Treatment Facility Operator through which wastes are	·		NA	
	(vii) List of member HCF not handed over bio-medical waste.			NA	
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period			YES	
7	Details trainings conducted on BMW				

The same of the sa	(i) Number of trainings conducted on		4 (THIS MONTH)
1	BMW Management.		
	(ii) number of personnel trained		92 (THIS MONTH)
	(iii) number of personnel trained		22
	at the time of induction	-	
	(iv) number of personnel		NIL
	not undergone any training so		
	(v) whether standard manual for		YES
	training is available?		
	(vi) any other information)		NIL
8	Details of the accident		NIL
	occurred during the year		
	(i) Number of Accidents occurred		NIL
	(ii) Number of the persons affected		NIL
	(iii) Remedial Action taken (Please		NIL
	attach details if any)		
	(iv) Any Fatality occurred, details.		
9.	Are you meeting the standards of air		NA
	Pollution from the incinerator? How		
	many times in last year could not		
	Details of Continuous online		NA
	emission monitoring systems		
10	Liquid waste generated and		STP
	treatment methods in place. How		
	many times you have not met the		For Annual Maintenance we are taking seven days shut down to upkeep STP
	standards in a year?		иркеер SIF
11	Is the disinfection method or		NA
	sterilization meeting the log 4		
	standards? How many times you		
	have not met the standards in a year?		
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator)
			NA

Certified that the above report is for the period: -

APRIL' 2019 La Br. Malali Pulity

Name and Signature of the Head of the Institution

Date:-

Place: - KOLKATA